



## **Pressure Transducer Handbook**



# **TABLE OF CONTENTS**

## **SECTION 1 - Introduction**

**1.1 Introduction**

**1.2 Product Overview**

## **SECTION 2 - Kulite Sensing Technology**

**2.1 Pressure Transducers**

**2.2 Theory of Operation**

**2.3 Transducer Types**

**2.4 The Piezoresistive Effect**

**2.5 The Piezoresistive Effect in Silicon**

**2.6 Sensing Elements**

2.6.1 Discrete Gauges

2.6.2 Integral Gauges

2.6.3 The Wheatstone Bridge

2.6.4 Key Characteristics of Kulite Piezoresistive Technology

**2.7 Microphones**

**2.8 Integrated Sensor Design**

2.8.1 Dielectrically Isolated Design (SOI)

2.8.2 Diaphragm Characteristics

2.8.3 Isolated Capsule Design

2.8.4 Dual Diaphragm Technology

2.8.5 Redundant & Combination Pressure/ Temperature Transducers

2.8.6 Kulite Leadless Design

2.8.6.1 Leadless/ Acceleration Compensated Design

2.8.7 Temperature compensation

2.8.7.1 Bridge Zero and Zero Shift Compensation

2.8.7.2 Bridge Sensitivity Compensation

2.8.8 Mechanical Design

2.8.9 Silicon Carbide

## **SECTION 3 - Performance Characteristics**

**3.1 Dynamic Range**

3.1.1 Definition

3.1.2 Range

3.1.3 Overrange

**3.2 Sensitivity**

3.2.1 Sensitivity Calibration

3.2.2 Polarity

**3.3 Nonlinearity, Hysteresis and Non-repeatability**

- 3.3.1 Definitions
  - 3.3.3.1 Linearity
  - 3.3.1.2 Hysteresis
  - 3.3.1.3 Non-repeatability
- 3.3.2 Nonlinearity
- 3.3.3 Hysteresis
- 3.3.4 Non-repeatability
- 3.3.5 Combining Nonlinearity, Hysteresis and Non-repeatability

### **3.4 Zero Measurand Output (ZMO)**

- 3.4.1 Mounting Effects
- 3.4.2 Warm-up
- 3.4.3 Thermal Stability
- 3.4.4 Effect of Overpressure

### **3.5 Phase Shift**

### **3.6 Input and Output Resistance**

### **3.7 Thermal Sensitivity Shift and Zero Shift**

- 3.7.1 Thermal Sensitivity Shift
- 3.7.2 Thermal Zero Shift
- 3.7.3 Thermal Transient Response

### **3.8 Photo Flash Response**

### **3.9 Transducer Resonant Frequency**

### **3.10 Frequency Response**

- 3.10.1 Rise and Response Time

### **3.11 Acceleration Sensitivity**

### **3.12 Burst Pressure**

### **3.13 Full Scale Output**

### **3.14 Supply Voltage or Excitation**

### **3.15 Input / Output Resistance**

### **3.16 Insulation Resistance**

## **SECTION 4 - Environmental Limits**

### **4.1 Diaphragm Loading**

### **4.2 Temperature**

### **4.3 Acceleration, Shock and Vibration**

### **4.4 RF and Magnetic Fields**

### **4.5 Sealing and Hermeticity**

### **4.6 Media Compatibility**

- 4.6.1 Pressure Sensitive End
- 4.6.2 Electrical Lead End

### **4.7 Nuclear Radiation**

## **SECTION 5 - Application Information**

### **5.1 Connection Diagrams**

- 5.2 Mounting Techniques**
- 5.2.1 Strain Sensitivity
- 5.2.1.1 Threaded Mounting Configurations
- 5.2.1.2 Cylindrical configurations
- 5.2.1.3 Thin Line Transducers (flat-pack)
- 5.2.2 Strain Measurement

### **5.3 Insulation**

### **5.4 Cabling**

- 5.4.1 Standard Cables
- 5.4.2 Splicing and Extension Cables
- 5.4.3 Loading Effects
- 5.4.4 Effects of Cable on Transducer Sensitivity
- 5.4.4.1 Excitation voltage Drop
- 5.4.4.2 Signal Attenuation
- 5.4.4.3 RC Filtering

### **5.5 Measurement of Dynamic Pressures**

- 5.5.1 Acoustic and Fluid flow Effects
- 5.5.1.1 Acoustic Fundamentals
- 5.5.1.2 Sound Speed in Gas
- 5.5.1.3 Organ Pipe Resonance
- 5.5.1.4 Cavity Resonances (Helmholtz)
- 5.5.1.5 Transmitting Tube Connected to Cavity
- 5.5.1.6 Pressures in a Flowing Fluid
- 5.5.1.7 Pressure Shock Wave Effects
- 5.5.2 Acoustic Limitations of a Pressure Probe
- 5.5.3 Dynamic Response of a Transducer in a Liquid System
- 5.5.4 Dynamic Pressure Measurements at High Temperatures

## **SECTION 6 - Electronics**

### **6.1 Power for Excitation**

- 6.1.1 DC Power Supplies
- 6.1.1.1 Constant Current Power Sources
- 6.1.1.2 External Sensing
- 6.1.2 AC Excitation

### **6.2 Signal Conditioning**

- 6.2.1 Analogue Amplifiers
- 6.2.2 Digital Corrected Analogue Output
- 6.2.3 Digital Output
- 6.2.4 Pressure Switch Output
- 6.2.5 Solid State Replacements for Electro-Mechanical Pressure Transducers
- 6.2.6 Wireless Transmission

### **6.3 Readout and Recording Devices**

- 6.3.1 Input Characteristics
- 6.3.2 Meter Characteristics
- 6.3.3 Errors in Digitising

## **SECTION 7 - Measurement of Transient Pressure Pulses**

### **7.1 Dynamic Range**

- 7.2**            **Low Frequency Response**
- 7.3**            **High Frequency Response**
- 7.4**            **Phase Shift**
- 7.5**            **Special considerations for Air Blast Measurements**
- 7.5.1          Rise and Response Times
- 7.5.2          Spatial Averaging of Pressure Across Diaphragms
- 7.5.3          Mechanical Protection

## **SECTION 8 - Calibration**

- 8.1**            **Temperature Calibrations**
- 8.2**            **Electrical Calibrations**
- 8.3**            **Static Calibrations**
- 8.3.1          Dead Weight Testers
- 8.4**            **Dynamic Calibrations**
- 8.4.1          Oscillating Pressure Calibrations
  - 8.4.1.1          Hydraulic Pressure Generator
  - 8.4.1.2          Vibrating Liquid Column
  - 8.4.1.3          Inlet Modulated Pressure Generator (IMPG)
  - 8.4.1.4          Gulton Whistle
  - 8.4.1.5          Gas Pistonphone
- 8.4.2          Step Pressure Generators
  - 8.4.2.1          Fast Acting Valves
  - 8.4.2.2          Gas Shock Tubes

## **SECTION 9 – Glossary, Unit Conversions & Kulite Reports**

- 9.1**            **Glossary**
- 9.2**            **Pressure Unit Conversions**
- 9.2.1          Units of Measurement
- 9.2.2          Decibel Formulae
- 9.3**            **Kulite Reports**
- 9.4**            **Kulite Patents**